

GENUINE FRONT FOG LAMP HARNESS

INSTALLATION INSTRUCTIONS

Thank you for purchasing a genuine Mazda accessory.

Before removal and installation, be sure to thoroughly read these instructions.

Please read the contents of this booklet in order to properly install and use the front fog lamp harness. Your safety depends on it.

Keep these instructions with your vehicle records for future reference.



WARNING

- There are several **WARNING** and **CAUTION** sections in this booklet concerning safely when installing or removing the front fog lamp harness. Always read and follow them in order to prevent injuries, accidents, and possible damage to the vehicle.

WARNING: Indicates a situation in which serious injury or death could result if the warning is ignored.

CAUTION: Indicates a situation in which bodily injury or damage to the vehicle could result if the caution is ignored.

- Do not modify the front fog lamp harness.
- Do not install the front fog lamp harness in any way other than described in the following instructions.
- If in any doubt, please ask your Mazda dealer to install the accessory in order to prevent errors in installation.
- If you have any questions about the use of the accessory, ask your Mazda dealer for proper advice before using it.
- Mazda and its suppliers are not responsible for injuries, accidents, and damage to persons and property that arise from the failure of the dealer or installer to follow these instructions.
- To ensure safety and reliability of the work, installation, removal and disposal work must be carried out by an Authorized Mazda Dealership.
- Be careful not to lose removed parts, and be sure that they are kept free from scratches, grease or other dirt.

PART NAME: FRONT FOG LAMP HARNESS
VEHICLE: MAZDA CX-9
PART NUMBER: TD11 V7 235A

NOTE

To the dealer


- Please turn over these instructions to the customer after installation.

To the customer

- Keep these instructions after installation. The instructions may be necessary for installing other optional parts or removal of this accessory.
- Should the vehicle or this accessory be resold, always leave these instructions with it for the next owner.

1. PARTS














▼ Installation view



▼ Parts list

Note

- Verify that the kit includes all the following parts and that the parts are not dirty, scratched, or damaged.

Part	Part name / number	Qty.	Part	Part name / number	Qty.	Part	Part name / number	Qty.
	Main harness	1		Sub-harness 1	1		Sub-harness 2 (Blue/yellow)	1
	Sub-harness 3 (Black/red)	1		Tie wrap	28		Mount base	5
	Fog lamp relay	1		Fog lamp relay bracket	1		Urethane tape	3
	Clip A	7		Clip B	2		Electro-tap	1
	Installation instructions	1						

For fog lamp installation, the following separately-sold parts are necessary.

※Except for model years prior to 2010

- Fog lamp hole cover
- Fog lamp

※Applicable to U.S. market models from 2010 model year





- Fog lamp
- Light switch

2. BEFORE INSTALLATION





■ REQUIRED TOOLS

★Phillips screwdriver (Stubby, Long) ★Torque wrench ★Fastener remover ★Mat ★Flathead screwdriver

⚠ WARNING

When the negative battery cable is connected during operation, it may cause electric shock or other personal injuries. Disconnect the negative battery cable before removal/installation.	When connecting/disconnecting connectors, grasp the connectors, not the wires. Otherwise a short, an accident from poor contact or fire may occur.	Do not pull the harness with excessive force. Doing so can cause a breakage or a short-related accident, as well as an electrical short or fire.	Secure the harness with the band (part included) so it doesn't dangle. If not, it may cause a short, accident, or fire.
			

⚠ CAUTION

Put the removed parts and the parts in the kit on the protective sheet to prevent scratches.	Using improper tools may cause damage and or broken parts. Use the correct tool for the job.	Be sure to cover the vehicle body with protectors or mats to prevent stains, scratches and damage when removing/installing the vehicle parts.	Using nonstandardized bulbs can cause damage. Verify that the head light or fog lamp bulbs are standardized.
			

⚠ WARNING

- When removing/installing the parts, park the vehicle on level ground and apply the side brake securely. Be sure to turn the ignition switch off, otherwise the vehicle can move, causing personal injury or vehicle damage.

Note

- When the negative battery cable is removed, the clock, radio, trip meters and other memories will be erased. Before performing work, record the content of the memory.
 - Refer to the Workshop Manual for removal and installation of vehicle parts.
- Not following the procedures for removal/installation in the Workshop Manual could result in an accident or vehicle malfunction.

3. CONNECTION DIAGRAM

Figure shows connector viewed from harness side.

